

Classic Vespa | 25
Item No. MMS154



It is highly recommended that you visit www.metalearth.com/360/mms154 to see the completed model before assembling your own

Fold lines can be seen as shown here

Insertion tabs are inserted and then folded

Insertion holes

Legends:


- E Engraved side
- NE Non-engraved side
- Attention point
- Insert tab and bend 90 degrees
- ▲ Insert tab and twist 90 degrees

Assembly tip:
If needed, slightly twist tabs to hold parts together then untwist and bond them down for a nice finish

Recommended tools:

- Wire cutters: helpful for taking parts from the metal sheets.
- Tweezers or needle nose pliers: helpful for folding parts, bending and twisting tabs.

Metal sheets



In order to avoid possible injury from sharp edges, please carefully discard the metal sheets after parts have been removed

Assembly Flow Chart

The assembly flow chart consists of ten numbered steps:

- Step 1:** Initial assembly of the front fork and handlebar area.
- Step 2:** Attaching a component to the front fork.
- Step 3:** Attaching a component to the front fork.
- Step 4:** Attaching a component to the front fork.
- Step 5:** Attaching a component to the front fork.
- Step 6:** Attaching a component to the front fork.
- Step 7:** Attaching a component to the front fork.
- Step 8:** Attaching a component to the front fork.
- Step 9:** Attaching a component to the front fork.
- Step 10:** Attaching a component to the front fork.

Additional instructions for Step 9: **Bend the kickstart lever out and underneath the side fender**

